

*Journal of Mycology
and
Plant Pathology*

Volume 38, 2008

**Consisting of 698
and xxi pages**

Author Index and Subject Index

Title Index

Volume 38 (1)

April 2008

N. Prasad Memorial Lecture

- Hyphomycetous fungi for plant health and human wealth** - Manoharachary C 1
- Integrated management of wilt of tomato caused by *Ralstonia solanacearum*** - Biswas S and Singh NP 18
- Guman Devi Verma Memoria Best Woman Scientist Award**
- Diversity of macrofungi in semi-evergreen and moist deciduous forest of Shimoga district-Karnataka, India** - Swapna S, Syed Abrar and Krishnappa M 21
- PR Verma Ph D Thesis Award** 27
- Phyton-T, An extract of seaweed (*Sargassum wightii*) induces defense enzymes against late blight and enhances quality of potato** - Vinay B. Raghavendra, Siddagangaiah, Lokesh S and Niranjana SR
- PR Verma M Sc Thesis Award**
- Cloning and characterization of master regulator of systemic acquired resistance in plants** - Rawat A, Bhat S, Bhat R and Kuruvinashetti MS 33
- A new technique for evaluating sunflower germplasm against *Alternaria* leaf blight** - Prasad MSL, Sujatha M, Rao SC, Sarada C and Singh H 39
- Effect of soil and manure ratio of casing soil on crop duration and yield of milky mushroom (*Calocybe indica*)** - Shukla PK 47
- Mycoherbicidal potential of some fungi against *Hyptis suaveolen*** - Pandey A and Pandey A K. 51
- Mass culture of saprophytic antagonists and their application for management of bacterial wilt and rhizome rot of ginger** - Bora LC and Bora Popy 54
- Mechanisms of action exerted by biocontrol agents against *Alternaria alternata* that causes leaf blight of watermelon** - Umamaheswari C, Sankaralingam A and Nallathambi P 59
- Detection of seed borne inoculum of *Xanthomonas campestris* pv *campestris*, the black rot pathogen of cabbage and estimation of genetic diversity** - Siraree A, Negi KY and Kumar J. 65
- Effect of disturbance on arbuscular mycorrhizal (AM) fungal population in coastal sand dune vegetation of Goa, India** - Rodrigues BF and Jaiswal V 73
- Bioformulation of *Pseudomonas aeruginosa* in organic substrates and its role in management of bacterial wilt of chilli (*Capsicum annum*)** - Bora LC and Deka SN 80
- Occurrence of AM fungi in rhizosphere of *Pennisetum glaucum* and *Sorghum bicolor*** - Narolia VK, Tilawat AK, Sharma M, Mohan V and Rao VM 84
- Association of AM fungi with sweet potato in soils of Andhra Pradesh** - Vogeti S, Devi KB, Tilak KVBR and Bhadracharya B 88

Arbuscular mycorrhizal fungi associated with some plants of Apocynaceae - Manoharachary C, Swarupa Rani S and Kunwar IK	91
Three larger fungi from doda district of Jammu Province, Jammu & Kashmir, India - Kumar S and Sharma YP	93
Arbuscular mycorrhizal fungi in relation to plant growth in <i>Dalbergia sissoo</i> - Manoharachary C, Ameeta P, Kunwar IK, Vishnuvardhan Reddy S	97
Diversity of mycoflora on stored rice in India - Prameela M, Reddy CS, Reddy KRN and Muralidharan K	102
Resistance to blast disease and tolerance to drought in rice genotypes - Srinivas Prasad M, Ramesha MS, Voleti SR, Pasalu IC and Vijaykumar CHM	108
Population dynamics of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> in rice leaves - Laha GS, Krishnaveni D and Muralidharan K	112
Short Communications	
Pathogens associated with diseases of sesame in Kumaun Hills, Uttarakhand, India - Khatai P and Pandey KN	116
Influence of Edaphic factors on nodulation in chickpea - Sharma N, Rawal P, Gour HN and Sharma K	118
The first report of powdery mildew of <i>Petunia</i> caused by <i>Acrosporium</i> spp. in India - Baiswar P, Chandra S and Kumar R	120
Cultural variability and mancozeb sensitivity of different isolates of <i>Alternaria burnsii</i> - Pipliya BH and Jadeja KB	121
Two new pathotypes 5 R 45 and 29 R 7 of <i>Puccinia triticina</i> from India - Jain SK, Bhardwaj SC, Prashar M, Kumar S and Sharma YP	123
<i>Beltrania mangiferae</i> Munjal and Kapoor new record from Rajasthan - Gehlot P and Kaur S	126
A new strain of <i>Penicillium herquei</i> Bain. and Sartory on pomegranate seeds from India - Zakir S and Sharma YP	128
Incidence of <i>Alternaria tenuissima</i> on the stem cuttings during its development as sapling - Ramulu JS, Reddy CRG and R. Ramanjaneyulu	130
Histological Changes in Mesta Plants Infected with Yellow vein mosaic disease - Chatterjee A and Ghosh SK	132
Mycoparasitic behaviour of certain bioagents against sheath blight pathogen (<i>Rhizoctonia solani</i>) of rice - Anwar Ali, Bhat G N and Bhat KA	135
The first report of <i>Rhizoctonia solani</i> causing blight disease of <i>Phyllanthus niruri</i> Linn - Dubey R and Pandey AK	138
A new powdery mildew of <i>Malva pusilla</i> - Yadav VK, Sharma ND and Verma KP	141
A first record of head smut in barnyard millet from mid hills of Uttarakhand - Kumar B, Kumar J and Srinivas P	142
Sporulation of <i>Alternaria</i> spp. and identification of teleomorph of <i>A. alternata</i> in cucurbits - Umamaheswari C, Sankaralingam A and Nallathambi P	144
Nine new host records of <i>Corynespora</i> - Singh DP and Mall TP	147
Prevalence of <i>Fusarium</i> and <i>Curvularia</i> species in mold affected grains of <i>Sorghum</i> genotypes - Somwanshi SD and Kurundkar BP	148

Volume 38 (2)

August 2008

Presidential Address 2007: Molecular pathology assisted agriculture growth in India - Mayee CD	151
New records and taxonomy of Agaricales from north-western Himalaya - Upadhyay RC, Kaur A, Kumari D, Semwal KC and Gulati A	158
Integrated management of tomato collar rot caused by <i>Sclerotium rolfsii</i> - Banyal DK, Mankotia V and Sugha SK	164
Dissemination and distribution of uredospores of <i>Puccinia arachidis</i> over crop canopy - Das S and Chakraborty A	168
Correlation between phenolic compounds and susceptibility of pear fruit cultivars to <i>Phacidiopycnis piri</i> - Sharma RL	173
Effect of bio-regulators and plant extracts on the yield attributes and incidence of tomato leaf curl - Kumar K, Shabnaz E, Razdan VK and Tewari AK	175
Management of leaf curl disease of chilli with leaf proteins of <i>Clerodendrum aculeatum</i> - Meena R, Patni V and Arora DK	178
Integrated management of wilt of tomato caused by <i>Ralstonia solanacearum</i> - Biswas S and Singh NP	182
Location and transmission of <i>Curvularia penniseti</i> in pearl millet - Singh A, Meena RL and Chattopadhyaya C	185
Phosphate solubilizing bacteria increases soil availability and uptake of phosphorus and yield in gram (<i>Cicer arietium</i>) and Indian bean (<i>Dolichos lablab</i>) - Solanky KU, Mehta BP and Sabalpara AN	190
Boll rot pathogens and secondary invaders in cotton - Krishna A and Naik SL	193
Histopathology of infection in bacterial blight disease of rice - Khare N, Kotasthane AS and Thrimurthy VS	197
Histological evidence on penetration of host tissues of mungbean (<i>Vigna radiata</i>) by <i>Rhizoctonia solani</i> - Tiwari A and Khare MN	200
Anatomical changes and development of Cecidomyiid leaf gall of <i>Quercus leucotrichophora</i>-Himalayan white oak - Mishra P and Patni V	203
Some hitherto unrecorded macrofungi from India - Beig MA, Dar GH, Ganai NA and Qazi NA	208
Biocontrol of core rot in kinnow fruits with bioagents including an unrecorded genus of yeast (<i>Sporidiobolus pararoseus</i>) - Sharma RN, Maharshi RP and Gaur RB	211
Immunodetection of <i>Aspergillus flavus</i> in stored seeds of cowpea, lentil and mungbean - Chakraborty U, De P and Chakraborty B.	216
New and interesting records of basidiomycetous fungi from Ratanmahal wildlife sanctuary, Gujarat, India - Arya A, Albert S and Nagadesi PK	221
Screening of phosphorus solubilizing Aspergilli isolates from soils of north Bengal and their effects on soybean - Chakraborty BN, Chakraborty U, Saha A, Dey PL and Sunar K	227
Effect of single super phosphate on <i>Anabaenopsis</i> during <i>Spirulina</i> cultivation -Verma R and Sarin R	234
Effect of arbuscular mycorrhizal fungi on growth of <i>Artocarpus heterophyllus</i> and <i>Syzygium cumini</i> seedlings in iron ore mine rejects - Bukhari MJ and Rodrigues BF	238.
Management of cumin (<i>Cuminum cyminum</i> L) blight using fungicides - Pipliya BH and Jadeja KB	243

Prevalence of anthracnose of guava in Punjab and its management - Singh A, Verma KS and Mohan C	245
Integrated management of white mold of <i>Phaseolus vulgaris</i> with special reference to <i>Trichoderma</i> species - Jha AK, Upadhyay JP, Lal HC and Kumar A	249
An on-line ready-reckoner for soybean diseases - Kolhe S and Gupta GK	253
Molecular diversity in <i>Fusarium solani</i> associated with sissoo (<i>Dalbergia sissoo</i>) wilt assessed by RAPD DNA markers - Arif M, Zaidi NW, Haq QMR and Singh US	258
Seasonal variation in occurrence of competitor moulds during cultivation of <i>Pleurotus</i> species - Chhata LK and Thakore BBL	261
Cultural and pathogenic variability in <i>Lasiodiplodia theobromae</i> causing mango fruit rot - Bhatt HR and Jadeja KB	264
Morphological, cultural and physiological diversity in isolates of <i>Alternaria</i> spp. infecting Bt-cotton - Ramegowda G and Naik, MK	267
Incidence and management of seedling diseases in cotton with seed dressers - Nikum R, Krishna A and Naik SL	272
Changes in enzymes and proline levels in leaves of downy mildew resistant and susceptible pearl millet genotypes - Mahatma MK, Bhatnagar R and Rawal P	277
Efficacy of carbendazim in controlling competitor and parasitic moulds of white button mushroom (<i>Agaricus bisporus</i>) - Katyal P, Khanna PK and Kapoor S	282
Comparison of weather based models to predict rust of lentil on cultivar Sehere 74-3 - Lal HC, Upadhyay JP, Jha AK and Kumar A	287
Diversity of the pathogens inciting rhizome rot disease of ginger in Assam and Arunachal Pradesh - Gogoi R, Nath HKD and Borah TR	291
Jaggery enhances yield of paddy straw mushroom, <i>Volvariella volvacea</i> - Sangeetha G, Prakasam V and Krishnamoorthy AS	295
<i>Pseudomonas fluorescens</i>, a potential bioagent for the management of blast in <i>Eleusine coracana</i> - Patro TSSK, Rani Ch and Kumar GV	298
Genetic variability and antagonistic potential of <i>Trichoderma harzianum</i> isolates against <i>Sclerotium rolfsii</i> - Lavanya K, Raju KS, Chandrasekhararao C and Raju CA	301
Deployment of organic and inorganic amendments to manage rhizome rot of turmeric - Devi GU	307
Inoculation method of <i>Pectobacterium carotovorum</i> sub-sp. <i>carotovorum</i> and factors influencing development of bacterial soft rot in radish - Raju MRB, Pal V and Jalali I	311
Association of VA mycorrhizal fungi with some liverworts from Mount Abu, Aravalli Hills, Rajasthan, India - Arora S	316.
Management of bacterial leaf spot of grapes with antibiotics - Ravikumar MR, Jahagirdar S and Khan ANA	320
Incidence of leaf spot of som (<i>Persea bombycina</i>) in relation to weather and chemical management - Ranjana Das and Das K	322
Biological control of mango fruit rot with fructoplane bacteria - Jadeja KB and Bhatt HR	325
Evaluation of <i>Volvariella</i> species on paddy straw for yield potential and substrate degradation capacity - Kumari K, Dhanda S, Kapoor S and Khanna PK	328
Impact of paper mill effluent irrigation on arbuscular mycorrhizal fungi in wheat (<i>Triticum aestivum</i>) - Chaubey AK, Singh HP, Singh SR and Shahi UP	333

Short Communications

Evaluation of sugarcane (<i>Saccharum officinarum</i>) genotypes for resistance to red rot disease - Kumar B	337
Biochemical and nutritional changes in lentil leaves infected by rust (<i>Uromyces fabae</i>) - Lal HC, Upadhyay JP, Jha AK and Kumar A	339
Antifungal potential of ethyl benzalcyanoacetate and its C-phenyl derivatives - Sidhu A, Sharma JR and Rai M	341
A new report of rust on two ground orchids from India - Bag TK	344
Assessment of foliage and fruit rot of chestnut due to <i>Sclerotium rolfsii</i> - Tiwari A and Sikarwar HPS	346
<i>Periconia jabalpurensis</i> Tiwari and Agarwal - a new fruit rot pathogen of pear (<i>Pyrus communis</i>) - Khurshid-Ahmad, Sagar V and Khan NA	349
Occurrence of French bean rust in Himachal Pradesh - Gupta SK, Jarial K and Manish K	352
Occurrence and development of stag head of white rust in rapeseed-mustard in Jharkhand - Akhtar J, Lal HC and Kumar A	354
A new report on root rot of <i>Jaropha curcas</i> caused by <i>Macrophomina phaseolina</i> from Gujarat, India - Patel DS, Patel SI and Patel RL	356
In vitro culture of <i>Sphacelia sorghi</i> and production of conidial inoculum - Kartik S and Rajasab AH	358
Evaluation of germplasm accessions for resistance to two pathotypes of sorghum leaf blight pathogen <i>Exserohilum turcicum</i> - Bunker RN and Mathur K	361
Brown leaf spot disease by <i>Corynespora cassicola</i> on papaya in Bay Islands - Jayakumar V, Amaresan N, Kannamma G, Rani GU and Rajalakshmi S	364
Chemical control of die back disease of custard apple - Rakholiya KB, Jadeja KB, Mayani NG and Chheladiya KK	367
Proteolytic enzyme activity of <i>Aspergilli</i> from usar soil - Soni S.	369.
Evaluation of fungitoxicants against <i>Hainesia lythri</i> causing leaf spot of strawberry - Badri Z A, Ghani M Y, Qazi N A, Shahzad A and Ashraf S	371
<i>Tetramyxa</i> - a new genus record from India - Kavale TR and Patil MS	373
Morphological and pathogenic variability of <i>Alternaria alternata</i> infecting senna (<i>Cassia angustifolia</i>) - Tatarwal ML, Rai PK and Shekhawat KS.	375
Evaluation of elite cultures for resistance to bacterial leaf blight of rice - Laha GS, Singh R, Krishnaveni D, Sunder S and Dodan DS	378
<i>Termitomyces eurhizus</i> completes entire life cycle on specific media under defined conditions - Kabitarani A and Bhagirath Th	381
Screening of datepalm germplasm for resistance to <i>Graphiola</i> leaf spot - Rathore GS, Pal V and Godara SL	383
Effect of hydro-cooling on storage rots of tomato - Sharma RL	385
Varietal screening of wheat for resistance against powdery mildew (<i>Erysiphe graminis tritici</i>) - Rana SK and Sharma SK	387
Performance of maize (<i>Zea mays</i>) genotypes against southern leaf blight disease caused by <i>Drechslera maydis</i> - Kumar P and Saxena P	389

Correlation of Karnal bunt incidence with weather parameters - Singh D, Aggarwal P, Kumar R, Singh A, Thakur HL and Gartan SL	392
Effect of combined bio-fertilizers on nodulation and grain yield in chickpea - Majumdar VL and Sharma K	394
Evaluation of bioagents and phytoextracts against <i>Curvularia pennesseti</i> in pearl millet - Singh A	396
Screening of sugarcane varieties against red rot caused by <i>Colletotrichum falcatum</i> by different inoculation methods - Mishra MK	398
Management of <i>Sclerotinia</i> rot of Indian mustard with plant extracts and fungicides - Ghasolia RP and Shivpuri A	400
Macrophomina phaseolina in clusterbean (<i>Cyamopsis tetragonoloba</i>) seeds and its control - Jaiman RK and Jain SC	403
Effect of antagonistic yeast (<i>Candida</i> sp.) and packaging materials on physico-chemical characters and decay reduction in guava (<i>Psidium guajava</i>) - Lal AA, Basha RA, Pandey VK, Bashyal BM, Kamil D and Gupta P	405

Volume 38 (3)

December 2008

Presidential Address 2008: Fungicide Resistance: A Perpetual Challenge in Disease Control – Thind TS	407
N . Prasad Memorial Lecture: Molecular Plant Pathology: Where Do We Stand? – Jalali BL	419
P.P. Singhal Memorial Pesticide India Award – 2007: Tebuconazole and thiabendazole - novel fungicides to control toxigenic <i>Fusarium verticillioides</i> and fumonisins in maize - Nayaka SC, Shankar ACU, Niranjana RS, Niranjana SR and Prakash HS	430
Prof VP Bhide Memorial Lecture A Sustainable Approach in Bioprotection of Medicinal and Aromatic Plants Against Phytonematodes - Rakesh Pandey	437
Tebuconazole and thiabendazole - novel fungicides to control toxigenic <i>Fusarium verticillioides</i> and fumonisins in maize - Nayaka SC, Shankar ACU, Niranjana RS, Niranjana SR and Prakash HS.	430
A sustainable approach in bioprotection of medicinal and aromatic plants against phytonematodes - Pandey R	437
<i>Aecidium gardeniae</i> sp. nov. on <i>Gardenia gummifera</i> from India - Kavale TR and Patil MS.	446
Two new records of Coelomycetes from India - Kavale TR and Patil MS.	449
Some new records of Ustilaginales from India - Kavale TR and Patil MS.	452
<i>Uromyces</i> : a potential biocontrol agent of <i>Lagascea mollis</i> - Yadav VK, Khare CP and Thakur MP.	456
Serological detection of <i>Corticium invisum</i> in tea leaf tissue - Chakraborty BN and Biswas RD	458
Pathological, physiological and biochemical characterization of <i>Xanthomonas axonopodis</i> pv. <i>parthenii</i> incitant of leaf blight in <i>Parthenium hysterophorus</i> – Sain SK and Gour HN	466
Development of immunoassays for early detection of <i>Glomerella cingulata</i> in tea leaf tissues - Chakraborty BN, Chakraborty U, Das R and Som R	478
Anatomical studies on <i>Rocella belangeriana</i> - a lichen growing on <i>Ceriops tagal</i> - Albert S. and Arya A	485
Biocontrol agents of anthracnose in sorghum - Singh Y and Singh US.	488
Mycotoxigenic fungi and mycotoxins in fast foods of Bihar - Chourasia HK, Suman SK and Prasad P	492

Occurrence of <i>Sphacelia sorghi</i> on grass hosts in Karnataka, India - Johnson N, Kartik S and Rajasab AH.	500
<i>Bovista aestivalis</i> and <i>Calvatia craniiformis</i> - new records to India - Syed Abrar, Swapna S and Krishnappa M.	504
Phosphate solubilizing fungi associated with <i>Casuarina equisetifolia</i>. - Manoharachary C, Mohan KC, Kunwar IK and Reddy SV	507
Occurrence of <i>Pseudocercospora centelli</i> sp. nov. causing leaf spot disease of <i>Centella asiatica</i> in India - Dubey R. and Pandey AK	514
A new <i>Appendiculella</i> species from Darjeeling, West Bengal, India -Jana TK and Ghosh SN.	517
A new species of <i>Meliola</i> from West Bengal, India - Jana TK and Ghosh SN	520
<i>Fusarium moniliforme</i> var. <i>subglutinans</i> infection on different parts of healthy and malformed shoots and panicles of mango (<i>Mangifera indica</i>) - Chand G and Chakrabarti DK	523
Vermicompost based bioformulation for management of bacterial wilt of tomato in polyhouse - Bora LC and Bora P	527
Detection of aflatoxins B₁ and B₂ from medicinally important dried rhizomes - Koul A and Sumbali G.	531
Arbuscular mycorrhizal fungi associated with some plants of Asclepiadaceae - Swarupa Rani S, Manoharachary C and Kunwar IK.	534
Management of white rust of Indian mustard (<i>Brassica juncea</i>) in mid hills of north-western Himalayas - Kumar Ashok.	537
Biological control strategies for management of bacterial wilt of brinjal (<i>Solanum melongena</i>) - Bora LC and Bora P	542
Efficacy of waxing, wrapping and packaging material in reducing post-harvest decay loss of kinnow (<i>Citrus deliciosa</i>) fruits - Sharma RN, Maharshi RP and Gaur RB.	546
Influence of water activity on growth and ochratoxin A production by isolates of <i>Aspergillus ochraceus</i> - Gopinandhan TN and Kannan GS.	551
Sensitivity of <i>Alternaria mali</i> to difenconazole in Kashmir valley - Fatima N and Qazi NA	556
Molecular characterization of <i>Trichoderma</i> spp. used against <i>Fusarium</i> wilt with PCR based RAPD and ITS-PCR - Venkateswarlu R, Kumar MR, Reddy NPE and Sudhakar P.	559
Role of <i>Pseudomonas fluorescens</i> on seedling growth response and suppression of soil borne diseases in acid lime - Gade RM, Mahesh GM and Armarkar SV.	564
Relationship between <i>Myrothecium</i> leaf blight of cotton with weather conditions - Tomar DS.	568
Integrated organic management of wilt-root rot complex of pea - Paul YS, Devi M and Kapoor AS	571
Effect of pesticides on germination of teliospores of <i>Tilletia indica</i> - Goswami S and Pannu PPS.	577
Efficacy of <i>Pseudomonas fluorescens</i> in controlling root rot of chickpea caused by <i>Macrophomina phaseolina</i> - Khan MA and Gangopadhyay S.	580
Germplasm screening for resistance to fruit rot in date palm (<i>Phoenix dactylifera</i>) and its control - Rathore GS and Pal V.	588
Mycoparasitic activity of <i>Trichoderma harzianum</i> against stem rot (<i>Sclerotium rolfsii</i>) of groundnut - Babu KV and Kumar MR.	593
Acid phosphatase activity in rhizospheric soils of tropical bamboo forests - Baghel RK, Sharma R and. Pandey AK	596

Pathogenic variability and antibiotic sensitivity in <i>Xanthomonas campestris</i> pv <i>campestris</i> isolates causing black rot of cauliflower - Sain SK, Gour HN and Sharma P	599
Shelf life of <i>Trichoderma</i> spp in different carrier materials - Gade RM, Wardhe SR, Armarkar S, Sangale UR and Sharma PK.	606
Mycoparasitism and fungicide compatibility and management of wilt (<i>Fusarium oxysporium</i> f.sp. <i>lycopersici</i>) of tomato - Venkateswarlu R, Kumar MR, Reddy NPE and Sudhakar P.	608
<i>Tripospermum buteae</i> sp. nov. – A new ectoparasitic Hyphomycete from India - Dubey R. and Pandey A.K.	611
Evaluation of botanicals for antimicrobial properties - Lakpale N, Khare N and Thrimurthy VS	614
Chemical management of root rot complex of gerbera (<i>Gerbera jamesonii</i>) - Gade RM, Padghan PR, Sangale UR and Sharma PK	618
Mortality of <i>Dalbergia sissoo</i> incited by <i>Fusarium solani</i> in western Uttar- Pradesh and its management - Singh KP and Bhadauria S.	621
Introgression of major blast resistance genes <i>Pi-1</i>, <i>Pi-2</i> and <i>Pi-k^h</i> in <i>indica</i> rice cultivars Samba Mahsuri and Swarna - Arunakanthi B, Srinivasprasad M, Madhanmohan K, Balachandran SM, MadhavMS, Reddy CS and Viraktamath BC.	625
Integrated management of white mold (<i>Sclerotinia sclerotiorum</i>) in French bean (<i>Phaseolus vulgaris</i>) -Ahangar, FA, Dar GH, Beig MA, Qazi NA and Sofi TA	631
Efficacy of phytoextracts and bioagents against <i>Colletotrichum gloeosporioides</i> causing banana (<i>Musa paradisiaca</i>) fruit rot - Jat BL, Gour HN and Sharma P	635
Integrated approach to control anthracnose (<i>Colletotrichum gloeosporioides</i>) disease of <i>Saraca asoca</i> - Santra S, Chatterjee NC and Dutta S.	639
Integrated management of coriander powdery mildew - Patel NR, Jaiman RK, Patel KD, Agalodiya AV and Patel PK	643
Screening of antagonists against <i>Alternaria porri</i> causing purple blotch in onion - Mishra RK and Gupta RP.	645
Biocontrol efficacy of botanicals on anamorphic fungi - Sreelatha R and Bagyanarayana G.	647
Cultural, morphological and pathogenic variability in isolates of <i>Sclerotinia sclerotiorum</i> (Lib.) de Bary. - Goswami K, Tewari AK and Awasthi RP	650
Bio-chemical changes in maize due to infection of <i>Peronosclerospora heteropogoni</i> incitant of Rajasthan downy mildew - Trivedi A, Rathore RS, Mathur K, Joshi A and Rajamani G.	653
Outbreak of Karnal bunt of wheat in Kotputli area of Rajasthan - Majumdar VL, Shekhawat PS, Bhatnagar SM and Chawla N	657
Management of fruit rot of aonla caused by <i>Aspergillus niger</i> - Patel DS, Nath K, Patel RL and Patel SI	658
Assessing impact of isolates of <i>Bacillus</i> spp. against <i>Botrytis cinerea</i> in strawberries using leaf disk assay - Singh D, Singh N, Singh, RS, Kunz, S and Mendgen, K W.	661
Occurrences of toxigenic moulds and mycotoxins in ayurvedic medicine <i>trifla churn</i> - Gautam AK and Bhadauria R	664
Comparative study of inoculation methods in <i>Sclerotinia sclerotiorum</i> in rapeseed-mustard - Goswami K, Tewari AK and Awasthi RP.	667
Nematicidal activity of 2-nitrobenzalanilines - Makkar A, Kaul VK and Manrao MR	669

Effect of yeast (<i>Candida</i> sp.) and packaging materials on physico chemical characters and decay of guava fruits - Lal AA, Basha RA., Pandey VK, Bashyal BM, Kamil D and Gupta P.	671
A new record of pink mould in <i>Pleurotus</i> spp. from Bihar, India - Dayaram, Chaurasia S and Patel A	674
A new report on association of phytoplasma with phyllody and little leaf diseases of mungbean (<i>Vigna radiata</i>) - Singh N, Patel NH, Patel, RL and Patel NA.	676
Management of <i>Cercospora</i> leaf spot of mung bean through seed soaking with non-conventional chemicals in field - Maity M, Srikanta D and Ray SK	678
Effect of dates of sowing on powdery mildew and white rust of mustard in arid region of Bikaner - Khatri NK and Gangopadhyay S	681
Virulence of <i>Colletotrichum capsici</i> and reaction on host differential - Akhtar J and Khalid A.	683
A new record of <i>Fusarium solani</i> f. sp. <i>robiniae</i> on <i>Robinia pseudoacacia</i> from India - Dar GH, Beig MA, Shah MD, Ganai NA and Ahanger FA	685
Evaluation of bioagents and phytoextracts against <i>Curvularia pennegeti</i> in pearl millet - Singh A.	687
Management of fruit rot (<i>Phytophthora nicotianae</i> var. <i>nicotianae</i>) of bell pepper (<i>Capsicum annuum</i>) with mulch and fungicide application - Gupta SK and Jarial K	689
Leaf spot disease in clones of <i>Persea bombycina</i> caused by <i>Colletotrichum gloeosporioides</i> - Handique PK, Das S, Dutta P and Chakravorty R.	691
Resistance in pigeonpea to <i>Fusarium</i> wilt and podfly - Dhar V and Chaudhary RG	693
Book review	694
Report of Secretary	695
Audit Report	698
Title Index	ii
Authors Index	xi
Subject Index	xiv