

Subject index

Volume 39, 2009

A		Apricot fruits	241	<i>Bhadradriomyces</i>	238
<i>Acaulospora laevis</i>	260	<i>Arachis hypogaea</i>	302	Bioactive compounds Bioagents	136 66, 74,252
Acetophenones	231	Arbuscular mycorrhiza	124, 247, 402, 494		
Acidity of fruit	511	Ardusi leaf extract	67		
Acquired resistance	562	<i>Ascochyta</i> blight	416	Bioantagonist	566
<i>Adhatoda vasica</i>	67	Ascomycetes fungi	396	Biochemical	558
<i>Aeginetia</i>	163	Ascomycotina	94	characterization	562, 564
<i>pedunculata</i>		Ascorbic acid	99, 511	Biocontrol	101, 203
Aflatoxins	271	<i>Aspergillus</i>	216	agents	290, 475
<i>Agaricus bisporus</i>	471	<i>A. flavus</i>	271	fungi	452
<i>A. bitorquis</i>	309, 471	<i>A. niger</i>	99, 101, 131, 302, 385	Biodeterioration	570
<i>Allium sativum</i>	67, 220			Biodiesel	536
<i>Aloe vera</i>	300	rot	166	Bioefficacy	554
<i>Alternaria</i>	367, 406	<i>Azadirachta indica</i>	67, 220, 523	Bioformulation	427, 567
<i>A. alternaria</i>	516			Biological control	331, 439
<i>burnsii</i>		Az lactone	233	efficiency	19
<i>A. alternata</i>	90, 66, 220, 458, 536	<i>Azotobacter</i>	59	Biological agents	516
<i>A. chrysanthemi</i>	468	<i>chroococcum</i>		Biomass	247
<i>A. brassicae</i>	568	Azoxystrobin	110	Bio-organics	86
AM fungus	59			Biopesticides	542
<i>Amanita porphyria</i>	35	B		Biopriming	567
Ampulliform	238	<i>Bacillus</i>	59	Bioprospecting	567
Anatomy	27	<i>B. megaterium</i>	1	Biotechnology	565
Andaman and Nicobar Islands	528	<i>pumilus</i>	565	Bitter guard	67
Anise	534	Bacteria	559	Black leaf spot	526
Antagonist	320, 331, 452	soft rot disease	544	Blight	468, 516
Anthracnose	436, 513	strain	564	Blond psyllium	223
Anti-aflatoxigenic	570	wilt	422, 449	Blotch	156
Anti-biodeteriorative	570	Banana	14	Blue mould rot	480
Antifungal activity	233	cultivars	148	Botanical	567, 570
potential	231	Banded sheath	352	<i>Botryodiplodia</i>	45, 227
Antimycotic	570	blight		<i>theobromae</i>	
		Bark canker	45, 227	<i>Bougainvillea</i>	220
Aonla	154	Barnyard millet	352	<i>spectabilis</i>	
Aphids	223	Barrier crop	70	<i>Brachypodium</i>	
Apple	497	Basidiocarp	27	<i>distachyon</i>	562
		Basil	86	Brinjal	39
		<i>Beltrania rhombica</i>	532	Brown root rot	1
		Bengal gram	320	<i>Bt. Cotton hybrids</i>	563

C		Conidia	427	Eco-physiological factors	131
Cabbage	203	Control	220, 223, 235, 526	ED50 values	231
<i>Cajanus cajan</i>	336	<i>Cordyceps sinensis</i>	114	Efficacy	520
Calcium content	166	Correlation	471	Eggplant	39
Callus regeneration	468	<i>Corynespora cassiicola</i>	42	Electrolyte leakage	422
<i>Calocybe indica</i>	283, 355	Cotyledon	90	Elephant foot yam	338
Calotropis procera	523	Cowpea	571	<i>Embelia ribes</i>	297
<i>Camellia sinensis</i>	542	<i>Crucibulum leave</i>	35	<i>Emblica officinalis</i>	154
<i>Capnodium</i>	385	Cucumber	554	Embryonal axis	90
Carbendazim	32, 235	<i>Cucumis sativus</i>	551	Endemic	532
Carboxin	32	Cucurbitaceae	494	Endochitinase	367
Casing materials	283	Cultivars	436	<i>Endophyte</i>	266
soil	355	Cultural variability	77	Entomopathogen	160
Castor	290	Culture filtrate	468	<i>Entrophospora</i>	402
Catechin	1	Cumin	331, 516	Environmental factors	42
<i>Catharanthus roseus</i>	358	<i>Curcuma longa</i>	67	Enzymes	1, 148, 557
Cauliflower	252	<i>Curvularia pallescens</i>	156, 528	Epidemiology	552
Cellulase	208	Curzate M8 72 WP	554	<i>Erysiphe polygoni</i>	335
<i>Ceratovacuna lanigera</i>	118	Cuticle	118	Estimation	385
<i>Cercospora</i> leaf spot	235	<i>Cymbopogon flexuosus</i>	523	loss	432
Cereal-pathogen interactions	562	Cymoxanil	55	<i>Exobasidium Vexans</i>	562
Chickpea	1, 266	<i>Cynodon dactylon</i>	163	F	
Chilli	570	D		<i>F. solani</i>	416
Chitinase	144, 208	<i>Dalbergia sissoo</i>	439	Fermentation	263
Chlamydospore	427	Damping-off	252	<i>Ficus</i>	266
Chloro-3-phenylbut-2-enoic acid	231	Dark band	238	Fingerprinting	484
Chlorogenic acid	362	<i>Datura stramonium</i>	67, 523	Flag Smut	551, 552, 564
Chrysanthemum	468	<i>Decalepis hamiltonii</i>	570	<i>Flavodon flavus fli C gene</i>	27
Citrus	572	Defence proteins	562	Fodder yield	554
<i>Citrus reticulata</i>	559	enzymes	1	Foliar sprays	294
<i>Cladosporium</i>	342	<i>Dematophora necatrix</i>	497	Foot rot	235
Clusterbean	74, 172	Detection	553	Formulation	300
Coal field	544	Diagnosis	545, 547	French bean	263
spoils	544	Die-back	45, 227	<i>Frankia</i>	560
Coastal sand dune	94	Disease severity	55	French bean	278
Coat protein	381	management	449	Fruit canker	503
Coffee	131	Diversity	484	body	136
Collar groundnut	203	DNA	484	rot	39, 154, 528
rot	497	Downy mildew	365, 554	Fungal antagonists	497
<i>Colletotrichum</i>	349	Dry rot	547	competitors	572
<i>C. gloeosporioides</i>	385, 436, 513	E		diversity	462
<i>C. musae</i>	14, 148	Eastern Coalfields	566	metabolites	572
<i>C. trichellum</i>	346	<i>Echinochloa frumentacea</i>	352	rots	241
				toxin	468
				Fungi	94, 511
				Fungicide	32, 48, 74, 90, 110,

Fungicide	169, 331, 349, 365, 432, 439, 516	H		Interaction	23
Fungitoxicants	45	Habitats	490	Intraspecific variations	257
<i>Fusarium</i>		<i>Hainesia</i>	391	<i>Ipomoea carnea</i>	67
<i>graminearum</i>	560	Halophyte	564	Irrigation	506
<i>F. moniliforme</i>	14	Haploid	556	<i>Isariopsis indica</i>	526
<i>F. oxysporum</i>	141, 416	Hatching	160	var. <i>zizyphi</i>	
f. sp. <i>cumini</i>	331	Head blight	560	J	
f. sp. <i>lycopersici</i>	312	Heart rot	549	Jammu & Kashmir	35, 346, 530
f. sp. <i>pisi</i>	90	Heavy metal tolerance	564	<i>Jatropha curcas</i>	536
f. sp. <i>polyanthi</i>	286	<i>Hedera canariensis</i>	530	K	
<i>F. oxysporum</i> f. sp.	101	<i>H. helix</i>	346	Kanpur	490
<i>psidii</i>		<i>Hemidesmus indica</i>	297	Karnal bunt	328
f. sp. <i>sissoo</i>	439	Herbicide tolerance	452	Kinnow	480
<i>Fusarium solani</i>	32, 101, 154, 432	Homology modelling	560	L	
<i>Fusarium wilt</i>	32, 312, 344	Host	124	<i>Lasiodiplodia</i>	257
G		Host range	513	<i>theobromae</i>	
<i>Ganoderma</i>	23, 136	resistance	549	Late blight	55, 70, 107, 362, 520, 338
<i>lucidum</i>		Hot water	66	Leaf curl virus	275
Garlic	220	HPLC	136	crinkle virus	220
clove	67	Humidity	471, 550	Leaf extract	523
Genetic variability	141	Hydrolytic enzymes	148	litter	94
Germ initial	317	Hydroxy-4- methoxybenzaldehy de	570	manure	427
tube	317	Hydroxybenzalanili nes	360	spot	223, 391, 536
Germination shield	317	<i>Hypholoma</i>	35	Lentil	335
Ginger	174, 422, 475	<i>capnoides</i>		Lipase	118
rhizome	67	Hyphomycetes	305, 462, 490	Losses	385
<i>Gleosporium</i>		<i>Hypoxylon</i>	396	Low cost	203
<i>ampelophagum</i>	558	I		formulation	
<i>Gloeocercospora</i>	541	Iatrogenic disease	374	<i>Lycopersicon</i>	561
<i>sorghii</i>		Immunogold		<i>esculentum</i>	
<i>Glomus</i>	59, 247, 260	Localization	562	M	
<i>fasciculatum</i>		In vitro selection	468	Macrofungi	244
<i>G. mosseae</i>	86, 260	Indexing	560	<i>Macrophomina</i> leaf	235
<i>Gloriosa superba</i>	156	India	381	blight	
Glucanase	144, 208	Indian gooseberry	99	<i>Macrophomina</i>	74, 82
<i>Glycine max</i>	42	Induced resistance	320	<i>phaseolina</i>	
Gooseberry	99	Induction of Defense		Maize	541
Green coffee bean	131	Mechanisms	568	Malformation	374
gram	220, 235	<i>Inocybe rimosa</i>	35	<i>Malus domestica</i>	497
Groundnut	271, 294	Integrated	271	Management	14, 32, 45, 86, 160, 278, 290, 302, 365, 432, 475,
Growth	227	management			
Guava	101, 436, 445, 490, 503, 511, 513	Intellectual property rights	544		

Management	497, 503, 553, 560, 566	Mycorrhiza	35, 497	Pea	90, 365, 416
Mancozeb	32, 55	Mycotaxonomy	305	seed	169
Mango	374, 385	<i>Myrothecium</i>	118	Peach	342
fruits	166	<i>Verrucaria</i>		decline	547
Margosa	220	N		Pear	45, 227
Market	573	Natural host	163	<i>Penicillium</i>	101
Medicinal plants	402	Nectarine	342	<i>citrinum</i>	
<i>Meloidogyne</i>	86	Neem	67	<i>P. funiculosum</i>	99
<i>M. graminicola</i>	340	Nematicidal activity	360	<i>P. italicum</i>	480
<i>M. incognita</i>	172	Nematode	86, 172, 340	<i>P. variabile</i>	59
Mesquite	220	<i>Neovossia indica</i>	328	Peroxidase	362
Metabolite Changes	561	Nif H Proteins	560	Perpetuation	513
Metabolomics	542	Non-target effect	374	<i>Pestalotia psidii</i>	503
<i>Metarhizium</i>	118, 160	Nutrient uptake	247	<i>Pestalotiopsis</i>	445
<i>anisopliae</i>		increase	260	<i>palmarum</i>	
Methyl mercuric chloride	556	Nutritional sources	114	<i>Peziza</i>	244
				<i>exogelatinosa</i>	
		O		PGPR	559, 567
Microbial	565	Ochratoxin A	131	pH	227
diversity	544, 555	<i>Ocimum basilicum</i>	86	<i>Phaeoramularia</i>	305
inoculants	566	<i>O. sanctum</i>	67	Phenol	362
Mixed cropping	449	<i>Oidium uwebraunii</i>	550	Phenyl-N-(1-phenylethylidene) ethanamines	233
Model species	562	Oil cakes	427		
Moisture	82	seed	572	<i>Phomopsis</i>	
Molecular analysis	569	On-farm evaluation	271	<i>azadirachtae</i>	567
characterization	558, 564	Operation	396	blight	39
diversity	556	taxonomic units		<i>P. vexans</i>	39
dynamics		Orchid	568	Phosphate	
simulation	563	Organic	252, 286	solubilization	569
markers	554	amendments		microorganisms	294
<i>Momordica</i>	67, 247	Orobanchaceae	163	<i>Phyllanthus amarus</i>	550
<i>charantia</i>		Overburden dump soil	559	Phyllody	336, 358, 406, 534
Morphological variation	558	Oxazol-5-ones	233	Phytoextracts	66
Morphology	27, 148	Oyster mushroom	572	Phytopathogens	144
variability	77			<i>Phytophthora</i>	497
Mortality	360	P		<i>cactorum</i>	
Mungbean	48	Parasitic	163	<i>P. infestans</i>	70, 107, 110, 520
<i>Musa paradisiacal</i>	14	angiosperm		<i>P. parasitica</i>	338
Mushroom	136, 335	Parasitism	160	Phytoplasma	158, 358, 406, 534
diversity	554	<i>Parthenium</i>	406	Pigeonpea	336
Mustard	568	<i>hysterophorus</i>		Pine apple	549
seeds	573	Patchouli	32	Plant regulators	302
Mycelium	114, 136, 216	Pathogenic		growth	1, 247
Mycoflora	559	Interactions	561	promoting	59
Mycoherbicide	458	Pathogenicity	172	rhizobacteria	
Mycoparasitic	238	<i>Paxina barlae</i>	244	fungi	312
Mycoparasitism	208	PCR amplification	554		

Plant extract	220, 223, 235, 445, 475, 480, 516	Q Quorum sensing	543	<i>Scutellospora verrucosa</i>	317
product	571	R Rainfall	550	SDS-page	216
<i>Pleurotus</i>	572	<i>Ralstonia solanacearum</i>	422, 449	Season	309, 355
<i>P. eryngii</i>	19	RAPD	39, 141	Seed	532
Plum rust	549	Rapeseed-mustard	506	coat	90
Pod yield	294	Reclamation	544, 566	germination	90
<i>Poeciloneuron indicum</i>	532	Regulation	208	mycoflora	90, 169
<i>Pogostimon patchouli</i>	32	Relative dominance	557	treatment	331
Polygalacturanase	561	humidity	82	tuber treatment	52
Polyphenol oxidase	362	Resistance	174	yield	290
Pomegranate	547	<i>Rhizobium</i>	23	Seedling vigour	90, 252
<i>Pongamia pinnata</i>	523	<i>Rhizoctonia solani</i>	48, 77, 203, 266, 352, 385, 409, 416, 523	mortality	48
Post harvest	99, 241, 385, 480, 572	Rhizome rot	174	<i>Seiridium</i>	297
diseases	14, 511	Rice	77	<i>Septoria desmazieri</i>	530
Post-infection	110	RNA Regulator	544	Septum	238
Potato	55, 107, 158, 266, 362, 449, 520	Root rot	300, 497	<i>Sepultaria sumneriana</i>	244
<i>apical leaf curl virus disease</i>	548	cabbage	203	Sheath blight	77, 523
seed tuber rot	52	knot nematode	172, 340	Shelf life	263
Powdery mildew	335, 365, 416, 570	Rotting	480	Small millet	352
PR- Protein	562, 563	<i>Rotylenchulus reniformis</i>	160	Snake gourd	528
Pre-harvest	385	RT-PCR	381, 367	Soft rot	422
Pre-infection	110	Rust	365	Soil amendments	74, 290
Prevalance	490	S <i>Saccharum spontaneum</i>	163	factors	462
Production	208	Salt tolerant		mycoflora	490
Propiconazole	32	bacteria	564	quality indicators	462
<i>Prosopis juliflora</i>	220	Sand dune	94	type	48, 506
Protein profile	216, 257	<i>Sarcoscypha austriaca</i>	244	<i>Solanum tuberosum</i>	107
<i>Pseudocercospora</i>	305	Scab	342	Solarization	252
<i>Pseudomonas flourescens</i>	445, 566, 570	<i>Schizophyllum commune</i>	27	<i>Sorghum S. bicolor</i>	59
<i>Pseudoperonospora cubensis</i>	554	Sclerotial antagonism	409	Soybean	163
<i>Puccinia striiformis</i> f. sp. <i>tritici</i>	639	blight	565	Spawn	569
Punjab	227	<i>Sclerotinia sclerotiorum</i>	416, 506	Sporophore	19
<i>Pythium aphanidermatum</i>	422, 432	<i>Sclerotium rolfsii</i>	203, 266, 300, 367, 409	<i>Sporotrichum</i>	19
		Screening	436	Sporulation	297
				Stem and pod rot	227, 458
				blight	548, 569
				rot	571
				<i>Stevia rebaudiana</i>	506
				Stone fruit	344
				Storage	241
				rot	169
				Strain	432, 475
				Strawberry	471
				<i>Streptomyces</i> sp.	391
				<i>Stropharia semiglobata</i>	558
				Submerged culture	35

Substrate	19, 283, 355	<i>Trichoderma</i>	101, 208, 266, 290, 312, 320, 409, 445, 452, 484	Waxy coating	118
Sugarcane	553			Weather parameters	349
<i>Sugarcane streak mosaic virus</i>	381			Western ghats	532
<i>mosaic virus</i>	381	<i>T. harzianum</i>	68, 86, 144, 203, 263, 278, 427	Wheat	328, 639
Sunflower	570			White mold	278
Supplements	309	<i>T. virens</i>	68, 367	Wilt	101, 365, 416
Survival	42	<i>T. viride</i>	68, 144, 365	Witches broom	158
Symptoms	391			X	
T		<i>Triticum aestivum</i>	340	<i>Xanthomonas axonopodis</i> pv. <i>punicae</i>	572
<i>Talaromyces flavus</i>	569	Tuber rot	286	Xylaria	396
Talc formulation based	278	Tuberose	286	Y	
Target spot	263	Turmeric rhizome	67	Yellow rust	639
<i>Tarsetta catinus</i>	42	U		Yield	283, 309, 471, 569, 572
Taximetric studies	244	<i>Urocystis agropyri</i>	551, 552, 564	components	551
Tea	1	V		Z	
seedlings	567	Variability	39, 227, 328, 409	<i>Zea mays</i>	124
suppress	565	Variation	560	<i>Zingiber officinale</i>	67, 174
Temperature	82, 227, 471, 550	Varietal mixture	70	<i>Zizyphus mauritiana</i>	526
Thiram	32	Vermicompost	86, 427	Zonate leaf spot	541
Tobacco	141, 367	Virulence	148		
Tomato	275	Virus	220, 275, 381		
yield	312	free planting material	560		
<i>leaf curl virus</i>	553	W			
Toxin	458	Waste water	564		
Translaminar fungicides	107	Waterhyacinth	458		
Trap culture	124				